

## **Ratio Mountain Fire**

Beaverhead-Deerlodge National Forest Fire Information: 406-865-0941



**Beaverhead-Deerlodge NF Wildland Fire Information Facebook** 

https://inciweb.wildfire.gov/incident-information/mtbdf-ratio-mountain

August 31, 2024 9:00 a.m.

Incident Commander: Matt Racicot, Noah Criner (T) Location: 15 miles north/northwest of Whitehall, MT Start Date: 8/18/2024 Cause: Lightning Size: 750 acres Resources on Site: 4 crews; 1 engine Total Personnel: 74

The Ratio Mountain Fire, located between Ratio Mountain and Whitetail Reservoir, is burning in an area that has recently experienced several large fires. Fire footprints (or previously burned areas) lie to the north (State Creek Fire of 2020), the south (McClusky Fire of 2019), and the west (Placer Fire of 2021) of the fire location.

The entire area, including the previous fire footprints and the area immediately surrounding the Ratio Mountain fire, contains a large concentration of standing dead trees ("snags") that pose challenges to ensuring firefighter safety and in responding to potential medical emergencies, jeopardizing the well-being of firefighters and other responders.

Fire managers from the Forest, working in collaboration with local Jefferson County officials and cooperating agency representatives from the DNRC and BLM, have identified, mapped, and prioritized critical values at risk in the fire area. These inter-agency, values-based discussions are critical in fire management, informing the decision-making process.

## **CURRENT STATUS/PLANNED ACTIONS:**

Crews successfully implemented strategic firing operations to connect the eastern section of line to the fire footprint from the State Creek Fire of 2020. Crews utilized Unmanned Aircraft System ("drone") due to the steep, rocky slopes and numerous snags. Crews will mop-up hot spots along this section, holding the edge in place.

Additional firing operations may be planned in the next few days, working from the southern section of line and moving to the west. More smoke may be visible across the area over the next several days, as firing operations are conducted.

Crews completed similar strategic firing operations on the eastern side of the fire last week, igniting and burning the fuels along the Hay Canyon Road, working southerly along Pony Creek. The crews will continue to mop-up and secure this southern piece.

This fire suppression tactic is an effective method of reducing the available fuels ahead of an active fire edge, while reducing the potential for negative impacts to the identified and prioritized values.

## WEATHER AND FIRE BEHAVIOR:

The fire area will experience a warming and drying trend, with temperatures 10-15 degrees above normal in the lower 80s through the weekend. Winds will be calm early, becoming east-southeast around 6 mph. Strong thermal belts could result in poor overnight relative humidity recoveries. Similar conditions will continue until next Tuesday, with a chance of light rain showers and isolated thunderstorms returning to the forecast.



## **CLOSURES AND RESTRICTIONS:**

The Forest has issued an area closure around the fire area, north of Whitehall on the Butte Ranger District. An area closure often involves specific trail and road sections. The area closure information and maps can be found on the Forest website, under the Closures and Alerts tab. <u>https://www.fs.usda.gov/alerts/bdnf/alerts-notices</u>

This closure applies to the following National Forest System (NFS) lands, approximately 15 miles north of Whitehall.

All National Forest System lands within:

- T3N, R5W, SECTIONS 1, 2, 3
- T4N, R5W SECTION 35

Closures surrounding a fire area are necessary to protect the safety and welfare of the public and provide for safe firefighting efforts and access.

The Forest is in Stage 1 Fire Restrictions. Campfires are allowed only in a permanent metal fire grate/ring provided by the Forest Service in a designated, developed recreation site. Smoking is restricted to vehicles, in buildings, or in an area clear of flammable materials. Devices with an on/off switch that use LPG fuels are allowed in an area clear of flammable materials within 3 feet of the device.

